

## New England Biolabs Certificate of Analysis

Product Name: NEBridge® Ligase Master Mix  
 Catalog Number: M1100L  
 Concentration: 3 X Concentrate  
 Packaging Lot Number: 10205049  
 Expiration Date: 08/2025  
 Storage Temperature: -20°C  
 Specification Version: PS-M1100S/L v1.0  
 Composition (1X): Proprietary

NEBridge® Ligase Master Mix Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M1100LVIAL	NEBridge® Ligase Master Mix	10202242	Pass

Assay Name/Specification	Lot # 10205049
<p><b>Functional Testing (Assembly)</b>            A 15 µl reaction containing 75 ng pGGaselect (Golden Gate destination plasmid, CamR), 75 ng each of 5 plasmids carrying fragments of a gene encoding lacI<sub>Z</sub>, 1 µl of Bsal-HF v2 and 5 µl NEBridge Ligase Master Mix is incubated for 30 cycles of 37°C for 1 minute, 16°C for 1 minute, and then at 60°C for 5 minutes to linearize any remaining plasmid. Successfully assembled fragments result in lacI<sub>Z</sub> gene in the pGGaselect vector and yield blue colonies on Cam/XGAL/IPTG agar plates. Transformation of T7 Express Competent E. coli (High Efficiency, NEB #C2566) with 2 µl of the assembly reaction yields &gt;250 colonies and &gt; 80% blue colonies when 5% of transformation is plated.</p>	Pass
<p><b>Functional Testing (Ligation and Transformation, Blunt Ends)</b>            After a 15 minute ligation of linearized, dephosphorylated LITMUS 28 containing blunt EcoRV ends and a mixture of compatible insert fragments, transformation into chemically competent NEB 5-alpha competent E. coli (high efficiency) cells yields a minimum of 106 recombinant transformants per µg plasmid DNA.</p>	Pass
<p><b>Non-Specific DNase Activity (16 Hour)</b>            A 50 µl reaction in NEBuffer 1 containing 1 µg of CIP-treated Lambda-HindIII DNA and a minimum of 10 µl of NEBridge™ Ligase Master Mix incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



Mary Lorenzen  
Production Scientist  
10 Aug 2023



Josh Hersey  
Packaging Quality Control Inspector  
11 Aug 2023