

New England Biolabs Certificate of Analysis

Product Name: ProtoScript® First Strand cDNA Synthesis Kit
 Catalog Number: E6300S
 Packaging Lot Number: 10085124
 Expiration Date: 11/2021
 Storage Temperature: -20°C
 Specification Version: PS-E6300S/L v1.0

ProtoScript® First Strand cDNA Synthesis Kit Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
S1332AVIAL	Oligo d(T)23 VN	10076372	Pass
S1330AVIAL	Random Primer Mix	10076371	Pass
M0343AVIAL	M-MuLV Reaction Mix	10069921	Pass
M0342AVIAL	M-MuLV Enzyme Mix	10069920	Pass
B1502AVIAL	Nuclease-free Water	10074615	Pass

Assay Name/Specification	Lot # 10085124
<p>Functional Testing (RT-PCR, Length) The performance of M-MuLV Reaction Mix with 1X M-MuLV Enzyme Mix is tested in a 20 µl RT reaction with 1 µg Human total RNA. The length of the product is verified by amplification of the p532 gene using 0.4 µl of the RT reaction and 35 cycles of PCR amplification resulting in the expected 5.5 kb product.</p>	Pass
<p>Functional Testing (RT-PCR, Sensitivity) The performance of M-MuLV Reaction Mix with 1X M-MuLV Enzyme Mix is tested in a 20 µl RT reaction with 20 pg Human total RNA. The sensitivity of the product is verified by amplification of GAPDH using 0.4 µl of the RT reaction and 35 cycles of PCR amplification resulting in the expected product.</p>	Pass
<p>* Individual Product Component Note Standard Quality Control Tests are performed for each component included in ProtoScript® First Strand cDNA Synthesis Kit and meet the designated specifications.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christie Vazquez

Christie Vazquez
Production Scientist
11 Nov 2020

Michael Tonello

Michael Tonello
Packaging Quality Control Inspector
11 Nov 2020