

## New England Biolabs Certificate of Analysis

**Product Name:** NEBNext<sup>®</sup> Small RNA Library Prep Set for Illumina<sup>®</sup> (Multiplex Compatible)  
**Catalog Number:** E7330L  
**Packaging Lot Number:** 10136661  
**Expiration Date:** 09/2023  
**Storage Temperature:** -20°C  
**Specification Version:** PS-E7330S/L v1.0

NEBNext <sup>®</sup> Small RNA Library Prep Set for Illumina <sup>®</sup> (Multiplex Compatible) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7355AAVIAL	ProtoScript <sup>®</sup> II Reverse Transcriptase	10136706	Pass
E7334AAVIAL	NEBNext <sup>®</sup> First Strand Synthesis Reaction Buffer	10136704	Pass
E7333AAVIAL	NEBNext <sup>®</sup> SR RT Primer for Illumina <sup>®</sup>	10136699	Pass
E7332AAVIAL	NEBNext <sup>®</sup> 3' SR Adaptor for Illumina <sup>®</sup>	10136698	Pass
E7329AAVIAL	NEBNext <sup>®</sup> Index 1 Primer for Illumina <sup>®</sup>	10136696	Pass
E7328AAVIAL	NEBNext <sup>®</sup> 5' SR Adaptor for Illumina <sup>®</sup>	10136702	Pass
E7327AAVIAL	Nuclease-free Water	10136687	Pass
E7326AAVIAL	TE Buffer	10136694	Pass
E7325AAVIAL	Linear Acrylamide	10136684	Pass
E7324AAVIAL	DNA Gel Elution Buffer	10136691	Pass
E7323AAVIAL	Quick-Load <sup>®</sup> pBR322 DNA-MspI Digest	10136689	Pass
E7310AAVIAL	NEBNext <sup>®</sup> SR Primer for Illumina <sup>®</sup>	10136700	Pass
E7309AAVIAL	LongAmp <sup>®</sup> Taq 2X Master Mix	10136680	Pass
E7308AAVIAL	Murine RNase Inhibitor	10136674	Pass
E7305AAVIAL	NEBNext <sup>®</sup> 5' Ligation Enzyme Mix	10136678	Pass
E7304AAVIAL	NEBNext <sup>®</sup> 5' Ligation Reaction Buffer	10136676	Pass
E7301AAVIAL	NEBNext <sup>®</sup> 3' Ligation Reaction Buffer	10136672	Pass
E7288AAVIAL	NEBNext <sup>®</sup> 3' Ligation Enzyme Mix	10136708	Pass
E6138AAVIAL	Gel Loading Dye, Blue, 6X	10136682	Pass

Assay Name/Specification	Lot # 10136661
<p><b>* Individual Product Component Note</b>            Standard Quality Control Tests are performed for each component included in NEBNext<sup>®</sup> Small RNA Library Prep Set for Illumina<sup>®</sup> (Multiplex Compatible) and meet the designated specifications.</p>	Pass

Assay Name/Specification	Lot # 10136661
<p><b>Functional Testing (Library Construction, Small RNA)</b> Each of the components is functionally validated and compared to the previous lot through construction of libraries made from commercially available human brain RNA using the kit's minimum and maximum input requirements. Libraries made from previous and current lots are sequenced on the same Illumina® flow cell and compared across various metrics including library yield and number of miRNAs identified.</p>	<p><b>Pass</b></p>

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.




---

Christine Sumner  
Production Scientist  
20 Apr 2022




---

Michael Tonello  
Packaging Quality Control Inspector  
19 Jan 2023