

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Tma Endonuclease III

Catalog Number: M0291S
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to cleave 1

pmol of a 60-mer oligonucleotide duplex containing a single AP site

in a total reaction volume of 10 µl in 1 hour at 65°C.

Packaging Lot Number: 10069696
Expiration Date: 04/2022
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl , 100 mM KCl , 1 mM DTT , 0.1 mM EDTA , 0.1 %

Triton®X-100 , 50 % Glycerol, (pH 7.4 @ 25°C)

Specification Version: PS-M0291S/L v1.0

Tma Endonuclease III Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0291SVIAL	Tma Endonuclease III	10069697	Pass	
B9004SVIAL	ThermoPol® Reaction Buffer Pack	10067018	Pass	

Assay Name/Specification	Lot # 10069696
Endonuclease Activity (Nicking) A 50 μl reaction in ThermoPol® Reaction Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 100 units of Tma Endonuclease III incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in NEBuffer 1 containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 100 units of Tma Endonuclease III incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 μl reaction in ThermoPol® Reaction Buffer containing 1 μg of Lambda-HindIII DNA and a minimum of 100 units of Tma Endonuclease III incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass

This product has been tested and shown to be in compliance with all specifications.



M0291S / Lot: 10069696 Page 1 of 2 Lauren Higgins

Lauren Higgins Production Scientist 28 Apr 2020 Jay Minichiello

Packaging Quality Control Inspector

28 Apr 2020