

www.neb.com info@neb.com



## New England Biolabs Certificate of Analysis

Product Name: Thermostable RNase H

Catalog Number: M0523S
Concentration: 5,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to produce 1

nmol of ribonucleotides from 40 picomoles of a fluorescently labeled 25 base pair RNA-DNA hybrid in a total reaction volume of 50  $\mu$ l in

20 minutes at 50°C.

Packaging Lot Number: 10242299
Expiration Date: 05/2026
Storage Temperature: -20°C

Storage Conditions: 50 mM Tris-HCl, 100 mM NaCl, 0.1 mM EDTA, 1 mM DTT, 0.1%

Triton®X-100, 50% Glycerol (pH 7.5 @ 25°C)

Specification Version: PS-M0523S v1.0

Thermostable RNase H Component List				
<b>NEB Part Number</b>	Component Description	Lot Number	Individual QC Result	
M0523SVIAL	Thermostable RNase H	10241122	Pass	
B0297SVIAL	RNase H Reaction Buffer	10218041	Pass	

Assay Name/Specification		
Endonuclease Activity (Nicking) A 50 µl reaction in RNase H Reaction Buffer containing 1 µg of supercoiled PhiX174	Pass	
DNA and a minimum of 25 units of Thermostable RNase H incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.		
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in RNase H Reaction Buffer containing 1 µg of a mixture of single	Pass	
and double-stranded [ ³H] E. coli DNA and a minimum of 25 units of Thermostable RNase H incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.		
Protein Purity Assay (SDS-PAGE)	Pass	
Thermostable RNase H is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.		
RNase Activity (Extended Digestion)	Pass	
A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA		



M0523S / Lot: 10242299

Page 1 of 2



Assay Name/Specification	Lot # 10242299
and a minimum of 5 units of Thermostable RNase H is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	
qPCR DNA Contamination (E. coli Genomic) A minimum of 5 units of Thermostable RNase H is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Bo Wu

Production Scientist 01 May 2024 Josh Hersey

Packaging Quality Control Inspector

15 May 2024



M0523S / Lot: 10242299

Page 2 of 2