

## New England Biolabs Certificate of Analysis

**Product Name:** FokI  
**Catalog Number:** R0109L  
**Concentration:** 5,000 U/ml  
**Unit Definition:** One unit is defined as the amount of enzyme required to digest 1 µg of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 µl.  
**Packaging Lot Number:** 10114178  
**Expiration Date:** 07/2023  
**Storage Temperature:** -20°C  
**Storage Conditions:** 50 mM NaCl, 10 mM Tris-HCl, 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 0.1% Tween-20, 200 µg/ml BSA, (pH 7.4 @ 25°C)  
**Specification Version:** PS-R0109S/L v2.0

FokI Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R0109LVIAL	FokI	10114177	Pass
B6004SVIAL	rCutSmart™ Buffer	10111602	Pass


Assay Name/Specification	Lot # 10114178
<b>Exonuclease Activity (Radioactivity Release)</b> A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [ <sup>3</sup> H] E. coli DNA and a minimum of 5 units of FokI incubated for 4 hours at 37°C releases <0.5% of the total radioactivity.	Pass
<b>Ligation and Recutting (Terminal Integrity)</b> After a 10-fold over-digestion of Lambda DNA with FokI, ~75% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, ~75% can be recut with FokI.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



Penghua Zhang  
Production Scientist  
13 Jul 2021



Michael Tonello  
Packaging Quality Control Inspector  
13 Jul 2021