

New England Biolabs Certificate of Analysis

Product Name: PmlI
Catalog Number: R0532L
Concentration: 20,000 U/ml
Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg Lambda DNA (HindIII digest) DNA in 1 hour at 37°C in a total reaction volume of 50 µl.
Packaging Lot Number: 10065787
Expiration Date: 02/2021
Storage Temperature: -20°C
Storage Conditions: 25 mM KCl, 25 mM Tris-HCl (pH 7.5), 1 mM DTT, 0.5 mM EDTA, 50% Glycerol, 200 µg/ml BSA
Specification Version: PS-R0532S/L v2.0

PmlI Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R0532LVIAL	PmlI	10065786	Pass
B7204SVIAL	CutSmart® Buffer	10064409	Pass


Assay Name/Specification	Lot # 10065787
Endonuclease Activity (Nicking) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 20 units of PmlI incubated for 4 hours at 37°C results in <20% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 100 units of PmlI incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Ligation and Recutting (Terminal Integrity) After a 10-fold over-digestion of Lambda HindIII DNA with PmlI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with PmlI.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda HindIII DNA and a minimum of 100 Units of PmlI incubated for 16 hours at 37°C results in a DNA pattern	Pass

Assay Name/Specification	Lot # 10065787
free of detectable nuclease degradation as determined by agarose gel electrophoresis.	

This product has been tested and shown to be in compliance with all specifications.



Stephanie Cornelio
Production Scientist
03 Feb 2020



Jay Minichiello
Packaging Quality Control Inspector
10 Feb 2020