

www.neb.com info@neb.com



New England Biolabs Certificate of Analysis

Product Name: Mmel
Catalog Number: R0637L
Concentration: 2,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of PhiX174 RF I DNA in 1 hour at 37°C in 50 µl of reaction buffer.

Packaging Lot Number: 10242555 Expiration Date: 04/2026 Storage Temperature: -20°C

Storage Conditions: 300 mM NaCl, 10 mM Tris-HCl, 1 mM DTT, 0.1 mM EDTA, 0.32 mM

S-adenosylmethionine (SAM), 50% Glycerol, 500 μg/ml BSA (pH 7.4 @

25°C)

Specification Version: PS-R0637S/L v3.0

Mmel Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0637LVIAL	Mmel	10236997	Pass	
B6004SVIAL	rCutSmart™ Buffer	10237088	Pass	

Assay Name/Specification	Lot # 10242555
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in CutSmart™ Buffer containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 20 units of Mmel incubated for 4	Pass
hours at 37°C releases <0.1% of the total radioactivity. Ligation and Recutting (Terminal Integrity)	Pass
After a 10-fold over-digestion of PhiX174 DNA with MmeI, ~75% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, 0% can be recut with MmeI.	
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart™ Buffer containing 1 µg of PhiX174 DNA and a minimum of 2 units of Mmel incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Protein Purity Assay (SDS-PAGE) Mmel is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	Pass

This product has been tested and shown to be in compliance with all specifications.



R0637L / Lot: 10242555 Page 1 of 2



One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Ana Egana Production Scientist

06 May 2024

Josh Hersey Packaging Quality Control Inspector

06 May 2024



R0637L / Lot: 10242555

Page 2 of 2