

New England Biolabs Certificate of Analysis

Product Name: PstI-HF[®]
Catalog Number: R3140S
Concentration: 20,000 U/ml
Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 µl.
Lot Number: 10054261
Expiration Date: 07/2021
Storage Temperature: -20°C
Storage Conditions: 250 mM NaCl, 10 mM Tris-HCl, 1 mM DTT, 0.1 mM EDTA, 50 % Glycerol, 0.15 % Triton X-100, 200 µg/ml BSA, (pH 7.4 @ 25°C)
Specification Version: PS-R3140S/L v2.0

PstI-HF [®] Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R3140SVIAL	PstI-HF [®]	10050157	Pass
B7204SVIAL	CutSmart [®] Buffer	10046089	Pass
B7024SVIAL	Gel Loading Dye, Purple (6X)	10047936	Pass

Assay Name/Specification	Lot # 10054261
<p>Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart[®] Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 200 units of PstI-HF[®] incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.</p>	Pass
<p>Ligation and Recutting (Terminal Integrity) After a 100-fold over-digestion of Lambda DNA with PstI-HF[®], >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with PstI-HF[®].</p>	Pass
<p>Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart[®] Buffer containing 1 µg of Lambda DNA and a minimum of 200 units of PstI-HF[®] incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.</p>	Pass
<p>Protein Purity Assay (SDS-PAGE) PstI-HF[®] is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.



Penghua Zhang
Production Scientist
19 Jul 2019



Jay Minichiello
Packaging Quality Control Inspector
23 Sep 2019