

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Library Quant Kit for Illumina®

Catalog Number: E7630L
Packaging Lot Number: 10244202
Expiration Date: 05/2026
Storage Temperature: -20°C

Specification Version: PS-E7630S/L v2.0

NEBNext® Library Quant Kit for Illumina® Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
E7641AAVIAL	ROX (High)	10239349	Pass	
E7640AAVIAL	NEBNext® Library Quant Master Mix	10239333	Pass	
E7639AAVIAL	NEBNext® Library Quant Primer Mix	10239334	Pass	
E7638AAVIAL	ROX (Low)	10239352	Pass	
E7633AAVIAL	NEBNext® Library Dilution Buffer	10239335	Pass	
E6891AAVIAL	NEBNext® Library Quant DNA Standard 6	10239346	Pass	
E6890AAVIAL	NEBNext® Library Quant DNA Standard 5	10239344	Pass	
E6889AAVIAL	NEBNext® Library Quant DNA Standard 4	10239342	Pass	
E6888AAVIAL	NEBNext® Library Quant DNA Standard 3	10239340	Pass	
E6887AAVIAL	NEBNext® Library Quant DNA Standard 2	10239338	Pass	
E6886AAVIAL	NEBNext® Library Quant DNA Standard 1	10239336	Pass	

Assay Name/Specification	Lot # 10244202
* Individual Product Component Note	Pass
Standard Quality Control Tests are performed for each component included in NEBNext®	
Library Quant Kit for Illumina® and meet the designated specifications.	
Functional Testing (qPCR, Standard Curve)	Pass
NEBNext® Library Quant Kit for Illumina® is functionally tested with qPCR using the	
following criteria for PCR efficiency, fluorescence values, and no-template control	
(NTC) amplification. Seven, 20 μl reactions are run in triplicate in 1X NEBNext®	
Library Quant Master Mix and 1X NEBNext® Library Quant Primer Mix containing	
NEBNext® Library Quant DNA Standards 1-6 and a no-template control for 35 cycles of	
PCR amplification, resulting in a standard curve with a calculated PCR efficiency of	
90-100% and a no-template control threshold cycle of >30 Cq.	

This product has been tested and shown to be in compliance with all specifications.



E7630L / Lot: 10244202

Page 1 of 2



One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Christine Sumner
Production Scientist

21 May 2024

Michael Tonello

Packaging Quality Control Inspector

21 May 2024