

New England Biolabs Certificate of Analysis

Product Name: *Ph.D.[™]-12 Phage Display Peptide Library*
Catalog Number: *E8111L*
Packaging Lot Number: *10193211*
Expiration Date: *05/2025*
Storage Temperature: *-20°C*
Storage Conditions: *25 mM Tris-HCl, 75 mM NaCl, 50% Glycerol, (pH 7.5 @ 25°C)*
Specification Version: *PS-E8111L v1.0*

Ph.D. [™] -12 Phage Display Peptide Library Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E8111LVIAL	Ph.D. [™] -12 Phage Display Peptide Library	10180184	Pass

Assay Name/Specification	Lot # 10193211
Absolute Phage Titer Infection of a mid-log culture of E. coli ER2738 with Ph.D. [™] -12 Phage Display Peptide Library followed by plating, yields $\geq 1 \times 10^{13}$ pfu/ml.	Pass
Functional Testing (Panning) A 100-fold representation of the Ph.D. [™] -12 Phage Display Peptide Library containing approximately 1011 pfu is diluted in 200 μ l TBS and panned against 300 ng β -endorphin monoclonal antibody. The bound phage is affinity captured using magnetic beads and eluted with 1 ml of 0.2M Glycine-HCl, pH 2.2. After three rounds of selection, $\geq 75\%$ of sequences contain a motif related to the known epitope for the antibody.	Pass
Phage Contamination (Environmental) A 1:100 dilution of an overnight culture of E. coli ER2738 was made in 20 ml LB, to which 10^5 pfu of Ph.D. [™] -12 Phage Display Peptide Library was added. The flask was incubated at 37°C on a rotating shaker for 5 hours. A 1 ml volume of culture was removed and centrifuged. Five microliters (5 μ l) of phage-containing supernatant was used for three successive rounds of amplification. The final culture supernatant was plated on three LB/IPTG/Xgal plates and then titered. Fewer than 5% clear or white plaques were observed in a minimum of 100 total plaques counted on each plate.	Pass
Sequence Verification (DNA) The Ph.D. [™] -12 Phage Display Peptide Library was sequenced using 5'-CCCATGTACCGTAACACTGAGTTTC-3' as a primer to confirm the correct form of the cloned insert on the displayed peptide, X12-GGG.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Beth M. Paschal

Beth Paschal
Production Scientist
17 May 2023



Josh Hersey
Packaging Quality Control Inspector
17 May 2023