

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name:	E.coli Poly (A) Polymerase
Catalog Number:	M0276S
Concentration:	5,000 U/ml
Unit Definition:	One unit is defined as the amount of enzyme that will incorporate 1 nmol of AMP into RNA in a 20 μ l volume in 10 minutes at 37°C.
Packaging Lot Number:	10246948
Expiration Date:	05/2026
Storage Temperature:	-20°C
Storage Conditions:	20 mM Tris-HCl, 300 mM NaCl, 1 mM EDTA, 1 mM DTT, 0.1 % Triton®X-100, 50% Glycerol, (pH 7.5 @ 25°C)
Specification Version:	PS-M0276S/L v1.0

E.coli Poly (A) Polymerase Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0276SVIAL	E.coli Poly (A) Polymerase	10242009	Pass	
B0756AVIAL	Adenosine-5'-Triphosphate (ATP)	10243961	Pass	
B0276SVIAL	Poly(A) Polymerase Reaction Buffer	10243960	Pass	

Assay Name/Specification	Lot # 10246948
Endonuclease Activity (Nicking) A 50 µl reaction in Poly(A) Polymerase Reaction Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 15 units of E. coli Poly(A) Polymerase incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in Poly(A) Polymerase Reaction Buffer containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 15 units of E. coli Poly(A) Polymerase incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Protein Purity Assay (SDS-PAGE) E. coli Poly(A) Polymerase is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion) A 10 μI reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA	Pass





240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350

www.neb.com info@neb.com

Assay Name/Specification	Lot # 10246948
and a minimum of 5 units of E. coli Poly(A) Polymerase is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by	
gel electrophoresis using fluorescent detection.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Jessica Cane Production Scientist 15 May 2024

Michae

Michael Tonello Packaging Quality Control Inspector 07 Jun 2024

