

New England Biolabs Certificate of Analysis

Product Name: RNase HII

Catalog Number: M0288L

Concentration: 5,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to yield a fluorescence signal consistent with the nicking of 100 pmol of synthetic double-stranded DNA substrate containing a single ribonucleotide near the quencher of a fluorophore/quencher pair in 30 minutes at 37°C in 1X ThermoPol® Reaction Buffer.

Packaging Lot Number: 10079380

Expiration Date: 07/2022

Storage Temperature: -20°C

Storage Conditions: 20 mM Tris-HCl, 100 mM NaCl, 1 mM DTT, 1 mM EDTA, 50 % Glycerol, (pH 8.0 @ 25°C)

Specification Version: PS-M0288S/L v1.0

RNase HII Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M0288LVIAL	RNase HII	10079379	Pass
B9004SVIAL	ThermoPol® Reaction Buffer Pack	10067018	Pass

Assay Name/Specification	Lot # 10079380
<p>Endonuclease Activity (Nicking) A 50 µl reaction in NEBuffer 4 containing 1 µg of supercoiled pBR322 DNA and a minimum of 5 units of RNase HII incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.</p>	Pass
<p>Exonuclease Activity (Radioactivity Release) A 50 µl reaction in NEBuffer 4 containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 50 units of RNase HII incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.</p>	Pass
<p>RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 3.3 pmol of a synthetic RNA oligo (26-mer) and a minimum of 50 units of RNase HII is incubated at 37°C. After incubation for 2 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.</p>	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Timothy Meixsell
Production Scientist
28 Sep 2020



Michael Tonello
Packaging Quality Control Inspector
28 Sep 2020