

New England Biolabs Certificate of Analysis

Product Name: 50 bp DNA Ladder
Catalog Number: N3236S
Concentration: 1,000 µg/ml
Unit Definition: N/A
Packaging Lot Number: 10245422
Expiration Date: 05/2026
Storage Temperature: -20°C
Storage Conditions: 10 mM Tris-HCl (pH 8.0), 1 mM EDTA
Specification Version: PS-N3236S/L v1.0

50 bp DNA Ladder Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
N3236SVIAL	50 bp DNA Ladder	10242007	Pass
B7025SVIAL	Gel Loading Dye, Purple (6X), no SDS	10234723	Pass


Assay Name/Specification	Lot # 10245422
A260/A280 Assay The ratio of UV absorption of 50 bp DNA Ladder at 260 and 280 nm is between 1.8 and 2.0.	Pass
DNA Concentration (A260) The concentration of 50 bp DNA Ladder is between 1000 and 1050 µg/ml as determined by UV absorption at 260 nm.	Pass
Electrophoretic Pattern (Marker) The banding pattern of 50 bp DNA Ladder on a 3% agarose gel shows discrete, clearly identifiable bands at each band of the marker, when stained with Ethidium Bromide at a concentration of 0.5 µg/ml.	Pass
Non-Specific DNase Activity (DNA, 16 hour) A 50 µl reaction in 1X NEBuffer 2 containing 5 µg of 50 bp DNA Ladder incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Vanessa Mathieu-Sheltry
Production Scientist
24 May 2024



Michael Tonello
Packaging Quality Control Inspector
25 Jun 2024