

www.neb.com info@neb.com



New England Biolabs Certificate of Analysis

Product Name: AlwNI
Catalog Number: R0514L
Concentration: 10,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg

of Lambda DNA in rCutSmart Buffer in 1 hour at 37°C in a total

reaction volume of 50 μl.

Packaging Lot Number: 10243198
Expiration Date: 05/2026
Storage Temperature: -20°C

Storage Conditions: 10 mM Tris-HCl, 50 mM NaCl, 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 200

μg/ml rAlbumin (pH 7.4 @ 25°C)

Specification Version: PS-R0514S/L v2.0

AlwNI Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
R0514LVIAL	AlwNI	10241983	Pass	
B6004SVIAL	rCutSmart™ Buffer	10238051	Pass	

Assay Name/Specification	Lot # 10243198
Exonuclease Activity (Radioactivity Release)	Pass
A 50 µl reaction in rCutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 100 units of AlwNl incubated for	
4 hours at 37°C releases <0.1% of the total radioactivity.	
Functional Testing (15 minute Digest)	Pass
A 50 µl reaction in rCutSmart™ Buffer containing 1 µg of Lambda DNA and 1 µl of	
AlwNI incubated for 15 minutes at 37°C results in complete digestion as determined by agarose gel electrophoresis.	
Ligation and Beauting (Torminal Integrity)	Pass
Ligation and Recutting (Terminal Integrity) After a 20-fold over-digestion of Lambda DNA with AlwNI, >95% of the DNA fragments	Pass
can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments,	
>95% can be recut with AlwNI.	
Non-Specific DNase Activity (16 Hour)	Pass
A 50 µl reaction in rCutSmart™ Buffer containing 1 µg of Lambda DNA and a minimum of	
10 units of AlwNI incubated for 16 hours at 37°C results in a DNA pattern free of	



R0514L / Lot: 10243198

Page 1 of 2



Assay Name/Specification	Lot # 10243198
detectable nuclease degradation as determined by agarose gel electrophoresis.	
Protein Purity Assay (SDS-PAGE) AlwNI is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	Pass
qPCR DNA Contamination (E. coli Genomic) A minimum of 10 units of AlwNI is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Ana Egana Production Scientist 31 May 2024 Talia Monkiewicz

Packaging Quality Control Inspector

Monkiewicz

31 May 2024



R0514L / Lot: 10243198