

New England Biolabs Certificate of Analysis


Product Name: CviAll
Catalog Number: R0640S
Concentration: 10,000 U/ml
Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg of pUC19 DNA in 1 hour at 25°C in a total reaction volume of 50 µl.
Packaging Lot Number: 10154972
Expiration Date: 04/2023
Storage Temperature: -20°C
Storage Conditions: 10 mM Tris-HCl, 250 mM NaCl, 10 mM TCEP-HCl, 1 mM DTT, 0.1 mM EDTA, 0.15% Triton®X-100, 50% Glycerol, 200 µg/ml BSA, (pH 7.4 @ 25°C)
Specification Version: PS-R0640S/L v2.0

CviAll Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R0640SVIAL	CviAll	10146715	Pass
B6004SVIAL	rCutSmart™ Buffer	10150373	Pass


Assay Name/Specification	Lot # 10154972
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart® Buffer containing 1 µg of pUC19 DNA and a minimum of 30 units of CviAll incubated for 16 hours at 25°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart® Buffer containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 10 units of CviAll incubated for 4 hours at 25°C releases <0.1% of the total radioactivity.	Pass
Ligation and Recutting (Terminal Integrity) After a 10-fold over-digestion of pUC19 DNA with CviAll, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with CviAll.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Mala Samaranayake
Production Scientist
06 Jun 2022



Erin Varney
Packaging Quality Control Inspector
06 Jun 2022