

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Product Specification

Product Name:	NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat) with RNA Sample Purification Beads
Catalog #:	E7405S/L/X
Kit Components:	NEBNext® DNase I (E7753) — Store at -20°C NEBNext® Thermostable RNase H (E7752) — Store at -20°C NEBNext® v2 rRNA Depletion Solution (E7401) — Store at -20°C RNase H Reaction Buffer (E6312) — Store at -20°C DNase I Reaction Buffer (E6315) — Store at -20°C Nuclease Free Water (E6317) — Store at -20°C NEBNext® Probe Hybridization Buffer (E6314) — Store at -20°C NEBNext® RNA Sample Purification Beads (E6351) — Store at 4°C
Shelf Life:	18 months
Storage Temp:	Multi-temperature
Specification Version:	PS-E7405S/L/X v1.0
Effective Date:	20 Apr 2020

Assay Name/Specification (minimum release criteria)

Functional Testing (RNA Sample Purification Beads) - The NEBNext® RNA Sample Purification Beads are used for the final cleanup of enzymatic reactions in the NEBNext® rRNA Depletion Kit. Purified rRNA depleted total RNA is run on a Bioanalyzer resulting in the expected yield and size distribution.

Functional Testing (rRNA Depletion) - NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat) with RNA Sample Purification Beads is functionally validated using commercially available human RNA (e.g. UHRR). After treatment with the kit, a high-throughput sequencing library is made and sequenced. Reads from this library are classified as being derived from ribosomal RNA based on sequence homology. This method produces libraries with <10% rRNA.

* Individual Product Component Note - Standard Quality Control Tests are performed for each component included in NEBNext® rRNA Depletion Kit v2 (Human/Mouse/Rat) with RNA Sample Purification Beads and meet the designated specifications.



PS-E7405S/L/X v1.0 Page 1 of 2



240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Product Specification

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit <u>www.neb.com/trademarks</u> for additional information.

Derek Robinson Quality Approver



Date 20 Apr 2020

PS-E7405S/L/X v1.0 Page 2 of 2